

	AV ASSEMBLY TYPE 12	AV ASSEMBLY TYPE 13
1	50mmØ class 6, 10, 12 or 16 HDPe	63mmØ class 6, 10, 12 or 16 HDPe
2	50mmØ x 2" flange adaptor for HDPe	63mmØ x 2" flange adaptor for HDPe
3	50mmØ Equal tee, GMS to SABS 62, all ends flanged, hot dip galvanised	50mmØ Equal tee, GMS to SABS 62, all ends flanged, hot dip galvanised
4	50mmØ Drilled flange complete with 25mmØ nipple welded to flange with BSP threaded end, hot dip galvanised, length of 150mm, class 16	50mmØ Drilled flange complete with 25mmØ nipple welded to flange with BSP threaded end, hot dip galvanised, length of 150mm, class 16
5	1" Brass ball valve, class 16	1" Brass ball valve, class 16
6	25mmØ RBX air valve, as supplied by Ventomat, class 16	25mmØ RBX air valve, as supplied by Ventomat, class 16

## NOTES: 1. All flanges shall comply with SABS 1123 (1600/3). 2. All steel pipework up to 150mm NB shall be medium duty complying with SABS 62. 3. Bolts and nuts shall comply with SABS 135. 4. 20mm Thick flexijoint or approved equivalent shall be provided between pipeline and brickwork. 5. All fittings to be noted as class 16. 6. Galvanising to SABS ISO 1461. 7. Epoxy coating to DWS specifications. AS-BUILT RECORD CONTRACT No. CERTIFIED BY DATE CERTIFIED AS-BUILT FOR CONTRACT : ENGINEER DATE VERSION/AMENDMENTS DESCRIPTION TENDER DRAWING SEP 2025 Y GROBBELAAR O.R.TAMBO DISTRICT MUNICIPALITY PRIVATE BAG X 6043 TAMBO HOUSE NELSON MANDELA DRIVE MYEZO PARK MTHATHA O.R. TAMBO DISTRICT MUNICIPALITY TEL: 047 501 6400 FAX: 047 532 6518 PROJECT TITLE: MNQEZU WATER SUPPLY DRAWING TITLE: AIR VALVE ASSEMBLY DETAILS FOR 50mm Ø TO 63mm Ø HDPe CLASS 6-16 SHEET 1 OF 2 CO-ORDINATE SYSTEM: ORIGINAL DRAWING SHEET SIZE: 28 WALTER SISULU,KUYASA MTHATHA 5100 TEL: +27 (0) 39 315 0329 FAX: +27 (0) 61 479 8363 DESIGNED SURVEYED CHECKED Y GROBBELAAR APPROVED ON BEHALF OF ELAH CONSORTIUM:

VERSION:

P2025\_17\_D-102

CLIENT:

REF No.:

TENDER DRAWING CLIENT: DRAWING No.: